

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	520	709/222.ccls.	US-PGPUB; USPAT	OR	OFF	2006/02/13 09:46
S2	13824	709/220-229.ccls.	US-PGPUB; USPAT	OR	OFF	2004/12/16 13:06
S3	418183	call\$1 phone\$1 telephone\$1 modem\$1	US-PGPUB; USPAT	OR	OFF	2004/12/16 13:08
S4	2925268	allocat\$3 search\$3 designat\$3 assign\$3 provid\$3 distribut\$3 designat\$3	US-PGPUB; USPAT	OR	OFF	2006/02/13 11:04
S5	21757	ip adj address\$1	US-PGPUB; USPAT	OR	OFF	2006/02/13 11:04
S6	7714	S4 with S5	US-PGPUB; USPAT	OR	OFF	2004/12/16 13:15
S10	17746	ISP OSP	US-PGPUB; USPAT	OR	OFF	2004/12/16 13:21
S11	5442	S3 same S10	US-PGPUB; USPAT	OR	OFF	2004/12/16 13:21
S12	1018	S6 and S11	US-PGPUB; USPAT	OR	OFF	2004/12/16 13:21
S13	241	S2 and S12	US-PGPUB; USPAT	OR	OFF	2004/12/16 13:37
S17	1918	S5 with database	US-PGPUB; USPAT	OR	OFF	2004/12/16 13:26
S18	538	S4 with S17	US-PGPUB; USPAT	OR	OFF	2004/12/16 13:27
S19	7	S18 and S1	US-PGPUB; USPAT	OR	OFF	2004/12/16 13:27
S24	2648	number near translat\$3	US-PGPUB; USPAT	OR	OFF	2004/12/16 13:38
S25	120	S6 and S24	US-PGPUB; USPAT	OR	OFF	2004/12/16 13:51
S27	1307	709/245.ccls.	US-PGPUB; USPAT	OR	OFF	2006/01/18 15:32
S29	59	(S6 same database) and S27	US-PGPUB; USPAT	OR	OFF	2004/12/16 13:54
S32	375	allocat\$3 adj (ip adj address\$1)	US-PGPUB; USPAT	OR	OFF	2004/12/16 14:00
S34	123	(isp osp) and S32	US-PGPUB; USPAT	OR	OFF	2004/12/16 14:01
S61	161	search\$3 with database with ((ip (internet adj protocol)) adj address\$1)	US-PGPUB; USPAT	OR	OFF	2004/12/16 14:49
S62	4537	assign\$3 with ((ip (internet adj protocol)) adj address\$1)	US-PGPUB; USPAT	OR	OFF	2004/12/16 14:50

S63	83	S61 and S62	US-PGPUB; USPAT	OR	OFF	2004/12/16 14:55
S65	165	assigning adj (ip (internet adj protocol)) adj addresses	US-PGPUB; USPAT	OR	OFF	2004/12/16 14:56
S68	156	isp same (assign\$1 with ((ip (internet adj protocol)) adj address\$1))	US-PGPUB; USPAT	OR	OFF	2004/12/16 15:13
S11 2	18	"Lan-to-Lan" with router	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/17 11:56
S12 5	99	(ip adj address\$1).ti.	US-PGPUB; USPAT	OR	OFF	2004/12/17 15:07
S15 0	174	dhcp with database	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/17 16:29
S18 2	1	"20030065787".did.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/06/22 17:22
S18 4	13	(switch\$3 adj system) same (assign\$3 with (ip adj address\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/06/24 09:02
S18 5	7148	(switch\$3 adj system\$1).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/06/24 08:59
S18 6	106517	"379".clas. (assign\$3 with (ip adj address\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/06/24 09:02
S19 1	163	((call telephone) with (setup initializat\$3 processing)) same ((elect\$3 select\$3 designat\$3 assign\$3) with (ip adj address\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/06/24 14:12
S19 2	1	((call telephone) with (setup initializat\$3 processing)) same ((search\$3 elect\$3 select\$3 designat\$3 assign\$3) with (ip adj address\$2) with (idle unassigned))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/06/24 13:11
S19 4	146	((search\$3 elect\$3 select\$3 designat\$3 assign\$3) with (ip adj address\$2) with (idle unassigned inactive unused))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/06/24 13:11

S19 5	177	((search\$3 elect\$3 select\$3 designat\$3 assign\$3) with ((network ip) adj address\$2) with (idle unassigned inactive unused))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/06/24 13:11
S19 6	57891	((call telephone) with (setup initializat\$3 processing))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/01/18 15:24
S19 7	2	S195 same S196	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/06/24 13:12
S19 8	231526	FUJITSU.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/06/24 14:12
S19 9	0	seglas.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/06/24 15:13
S20 0	10706	seg\$3.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/01/18 15:37
S20 1	60	segl\$3.in.	US-PGPUB; USPAT	OR	OFF	2005/06/24 15:13
S20 2	0	S201 and (ip with assign\$3)	US-PGPUB; USPAT	OR	OFF	2005/06/24 15:13
S21 3	1	(man near keon).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/06/28 10:11
S22 0	16	("6023724" "6073172" "6073178" "6145002" "6243754" "20010019557" "6289377" "20020002615" "20020013844" "20020023160" "20020023174" "6487596" "6603758" "20030172170" "6697864" "6816890").did.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/06/28 12:34
S22 1	7086	(assign\$3 manag\$3) near3 ((network ip) adj address\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/06/28 12:49

S22 2	76999	(service adj (network\$1 provider\$1)) isp\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/06/28 12:49
S22 3	965	S221 same S222	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/06/28 12:53
S22 4	326	S223 same (idle dynamic\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/06/28 12:49
S22 5	293	S224 same (internet intranet\$1 network\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/06/28 12:49
S22 6	595	S221 with S222	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/06/28 12:49
S22 7	536	S226 same (internet intranet\$1 network\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/06/28 12:51
S22 8	250	S226 same (idle dynamic\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/06/28 12:49
S22 9	7365	(assign\$3 allocat\$3) near3 ((network ip) adj address\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/06/28 12:51
S23 0	692	S229 with S222	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/06/28 12:50
S23 1	692	S230 with S222	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/06/28 12:50

S23 2	239	((assign\$3 allocat\$3) near3 ((network ip) adj address\$2)) with ((service adj (network\$1 provider\$1)) isp\$1) with (idle dynamic\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/06/28 12:52
S23 3	218	S232 same (internet intranet\$1 network\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/06/28 12:51
S23 4	548	((assign\$3 allocat\$3) near3 ((network ip) adj address\$2)) near5 ((service adj (network\$1 provider\$1)) isp\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/06/28 12:52
S23 5	178	((assign\$3 allocat\$3) near3 ((network ip) adj address\$2)) near5 ((service adj (network\$1 provider\$1)) isp\$1) with (idle dynamic\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/06/28 13:17
S23 6	176	((assign\$3 allocat\$3) near3 ((network ip) adj address\$2)) near5 ((service adj (network\$1 provider\$1)) isp\$1) near10 (idle dynamic\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/06/28 12:52
S23 7	51	S223.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/06/28 12:53
S23 8	39	((assign\$3 allocat\$3) near3 ((network ip) adj address\$2)) near5 ((service adj (network\$1 provider\$1)) isp\$1) with (shar\$3 pool\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/06/28 13:26
S23 9	177	(shar\$3 pool\$3) with ((service adj (network\$1 provider\$1)) isp\$1) with ((network ip) adj address\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/06/28 13:27
S24 0	4	S239.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/06/28 13:27
S24 6	10	(internet adj service adj provider\$1) near10 (address adj pool\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/06/30 17:03

S24 7	0	((multiple plural many) near3 (isp\$1 (internet adj service adj provider\$1))) near10 (shar\$3 near3 (address adj pool\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/06/30 16:41
S24 8	0	((multiple plural many) near3 (isp\$1 (internet adj service adj provider\$1))) same (shar\$3 near3 (address adj pool\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/06/30 16:41
S24 9	0	((multiple plural many) near10 (isp\$1 (internet adj service adj provider\$1))) same (shar\$3 near10 (address adj pool\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/06/30 16:41
S25 1	110	("5598536").URPN.	USPAT	OR	OFF	2005/06/30 17:05
S25 2	2	("5483589"   "6304646").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/01 09:29
S25 5	4	("5598536"   "6282193"   "6393482"   "6400722").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/01 16:01
S25 6	110	("5598536").URPN.	USPAT	OR	OFF	2005/07/01 09:32
S25 7	8	("4989204"   "5159592"   "5181200"   "5276680"   "5410543"   "5410691"   "5553239"   "5598536").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/01 09:33
S25 8	176	("5812819").URPN.	USPAT	OR	OFF	2005/07/01 11:51
S26 1	15	isp same pool\$1 same (database\$1)	USPAT	OR	OFF	2005/07/01 14:26
S26 3	1716	709/226.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/01 16:02
S26 4	569	709/222.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/01 16:02
S26 6	1915	709/226.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/01/18 15:31
S26 7	2392	709/249-250.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/01/18 15:32

S26 8	1606	709/245.ccls.	US-PGPUB; USPAT	OR	OFF	2006/01/18 15:32
S26 9	1	(man and keon and oh).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/02/13 10:27
S27 1	10239	(lg adj electronics).as.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/02/13 10:27
S27 3	10372	(lg adj electronics).as.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/02/13 10:27
S27 4	1	(man and keon and oh).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/02/13 10:27
S27 5	1620	709/245.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/02/13 10:27
S27 6	1502	709/250.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/02/13 10:28
S27 7	937	370/463.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/02/13 10:28
S27 8	6493864	allocat\$3 search\$3 designat\$3 assign\$3 provid\$3 distribut\$3 designat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/02/13 14:59
S27 9	34764	ip adj address\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/02/13 11:04
S28 0	8341	S278 near3 S279	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/02/13 11:05

S28 4	1969	S280 same dynamic\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/02/13 11:18
S28 5	1	S284 and 370/463.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/02/13 11:07
S28 6	25	S284 and 709/250.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/02/13 11:08
S28 7	129	S280 near5 dynamic\$4 near5 (isp\$1 (internet adj service adj provider\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/02/13 11:47
S28 8	46	S287 same (call\$1 switch\$3 phone\$1 telephone\$1 modem\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/02/13 11:19
S28 9	5	S280 near5 dynamic\$4 near5 (isps (internet adj service adj providers))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/02/13 11:20
S29 0	59	S278 adj (S279 address\$2) adj2 (isp\$1 (internet adj service adj provider\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/02/13 11:29
S29 1	6373092	assign\$3 provid\$3 distribut\$3 designat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/02/13 11:29
S29 2	47	S291 adj (S279 address\$2) adj2 (isp\$1 (internet adj service adj provider\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/02/13 11:30
S29 3	1179	S280 near5 dynamic\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/02/13 11:47



S29 4	45	S293 same (pstn\$1 (switch\$3 adj system\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/02/13 12:17
S29 5	1	S293 same (switch\$3 adj system\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/02/13 12:54
S29 6	4236	370/401.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/02/13 12:54
S29 7	539	370/356.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/02/13 12:55
S29 8	712	(S296 S297) and S280	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/02/13 12:55
S29 9	876	S280.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/02/13 12:55
S30 0	53	S299 and (S296 S297)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/02/13 12:55
S30 1	31339	dynamic\$4 near2 S278	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/02/13 13:25
S30 2	1000	S301 near4 S279	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/02/13 13:26
S30 3	1	S302 near8 ((voip (voice adj over adj internet adj protocol)) near2 (switch\$2 gateway\$1 gw))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/02/13 13:27

S30 4	14	(S278 near5 (address\$2)) near10 ((voip (voice adj over adj internet adj protocol)) near2 (switch\$2 gateway\$1 gw))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/02/13 15:13
S30 5	6493864	allocat\$3 search\$3 designat\$3 assign\$3 provid\$3 distribut\$3 designat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/02/13 14:59
S30 6	11	S305 near5 (ip adj address\$2) near5 (voip adj (gw\$1 gateway\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/02/13 15:03
S30 7	11	S305 near5 (ip adj address\$2) near5 (voip near (gw\$1 gateway\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/02/13 15:03
S30 8	2	S307 same dynamic\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/02/13 15:04
S30 9	42	(ip adj address\$2) near5 ((voip (voice adj over adj internet adj protocol)) near2 (switch\$2 gateway\$1 gw))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/02/13 15:25
S31 0	35	select\$3 near5 ((voip (voice adj over adj internet adj protocol)) near2 (switch\$2 gateway\$1 gw))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/02/13 15:26
S31 1	36	(choos\$3 select\$3) near5 ((voip (voice adj over adj internet adj protocol)) near2 (switch\$2 gateway\$1 gw))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/02/13 15:26
S31 2	59	(choos\$3 select\$3 determin\$3) near5 ((voip (voice adj over adj internet adj protocol)) near2 (switch\$2 gateway\$1 gw))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/02/14 13:26
S31 3	0	S312 same (central adj office\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/02/13 15:34

S31 4	5	((central adj office\$1) pstn) same ((choos\$3 select\$3 determin\$3) near5 (connection adj system\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/02/13 15:40
S31 5	1	allocat\$3 near3 (ip adj address\$2) near3 (voip adj (gw gateway\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/02/13 15:41
S31 6	1	allocat\$3 near5 (ip adj address\$2) near5 (voip adj (gw gateway\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/02/13 15:41
S31 7	1	(allocat\$3 near3 (ip adj address\$2)) same (voip adj (gw gateway\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/02/13 15:41
S31 8	1	(allocat\$4 near3 (ip adj address\$2)) same (voip adj (gw gateway\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/02/14 09:29
S31 9	1	"6807166".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/02/13 16:26
S32 0	4	(allocat\$4 near3 (ip adj address\$2)) same (voip near5 (gw gateway\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/02/14 09:29
S32 1	28	((assign\$3 allocat\$4) near3 (ip adj address\$2)) same (voip near5 (gw gateway\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/02/14 09:39
S32 2	44	((assign\$3 allocat\$4) near3 (ip adj address\$2)) same (voip same (gw gateway\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/02/14 09:41
S32 3	16	((assign\$3 allocat\$4) near3 (ip adj address\$2)) near3 (phone\$1 telephone\$)) same voip	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/02/14 09:44

S32 4	1	dynamic\$4 near5 (assign\$3 allocat\$4) near5 (ip adj address\$2) near5 (voip (voice adj over adj internet adj protocol)) near5 (gateway\$1 gw\$1 router\$1 switch\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/02/14 09:46
S32 5	6	(dynamic\$4 near5 (assign\$3 allocat\$4) near5 (ip adj address\$2)) same ((voip (voice adj over adj internet adj protocol)) near5 (gateway\$1 gw\$1 router\$1 switch\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/02/14 09:47
S32 6	7	(dynamic\$4 near5 (assign\$3 allocat\$4) near5 (ip adj address\$2)) same ((voip (voice adj over adj internet adj protocol)) same (gateway\$1 gw\$1 router\$1 switch\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/02/14 09:57
S32 7	21	(dynamic\$4 near5 (assign\$3 allocat\$4) near5 (ip adj address\$2)) same (voip (voice adj over adj internet adj protocol))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/02/14 10:02
S32 8	18	((dynamic\$4 near5 (assign\$3 allocat\$4) near5 (ip adj address\$2)) same (pstn)) and (voip (voice adj over adj internet adj protocol))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/02/14 10:03
S32 9	21	((dynamic\$4 near5 (assign\$3 allocat\$4) near5 (ip adj address\$2)) same (pstn (switch\$3 adj (system\$1)) (call adj center\$1))) and (voip (voice adj over adj internet adj protocol))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/02/14 10:28
S33 0	0	(dynamic\$4 near5 (assign\$3 allocat\$4) near5 (pool\$1 near2 address\$2)) same (voip (voice adj over adj internet adj protocol))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/02/14 10:29
S33 1	6	(dynamic\$4 near5 (assign\$3 allocat\$4) near5 (pool\$1 near2 address\$2)) and (voip (voice adj over adj internet adj protocol))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/02/14 10:29

S33 2	31	("4769810"   "4769811"   "4933937"   "5014265"   "5224099"   "5367517"   "5423002"   "5430715"   "5509006"   "5570360"   "5592470"   "5668857"   "5678006"   "5699521"   "5734654"   "5805595"   "5835720"   "5835725"   "5835727"   "5838683"   "5845070"   "5852607"   "5854901"   "5898780"   "5918016"   "5926458"   "5974453"   "6009103"   "6055236"   "6091951"   "6092178").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/14 13:40
S33 3	28	("6243749").URPN.	USPAT	OR	OFF	2006/02/14 13:42
S33 4	16	("20010039585"   "20010047415"   "20010049741"   "20030055979"   "5812819"   "5884024"   "6052725"   "6233616"   "6243749"   "6256671"   "6331984"   "6381650"   "6405252"   "6427170"   "6611861"   "6618757").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/14 14:30
S33 5	11	((("4" four) near2 field\$1) same (ip adj address\$2) same database\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/14 14:34
S33 6	2	(reserved near2 (ip adj address\$2)) near3 flag\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/14 14:35
S33 7	2	(reserved near5 (ip adj address\$2)) near10 flag\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/14 14:35
S33 8	2	(reserved near10 (ip adj address\$2)) near10 flag\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/14 14:35
S33 9	26	(reserved near10 (ip adj address\$2)) near10 (field\$1 flag\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/14 14:37
S34 0	21	(reserved near10 (ip adj address\$2)) same database\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/14 14:40
S34 1	22	(reserved near10 (ip adj address\$2)) near10 (stor\$3 list\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/14 14:41
S34 2	165	(reserved near10 address\$2) same (ip (internet adj protocol)) same (stor\$3 database\$1 list\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/14 14:41
S34 3	109	(reserved near2 address\$2) same (ip (internet adj protocol)) same (stor\$3 database\$1 list\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/14 14:42

S34 4	0	(reserved near2 address\$2) same (ip (internet adj protocol)) same (database near2 field\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/14 14:42
S34 5	138	(reserved near2 address\$2) near5 (field\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/14 14:43
S34 6	1	S345 same database\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/14 14:43
S34 7	168	(reserved near2 address\$2) near5 (field\$1 flag\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/14 14:44
S34 8	2	S347 same database\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/14 14:43
S34 9	19	(reserved near2 address\$2) near5 (dhcp)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/14 14:47
S35 0	5	(restricted near2 address\$2) near5 (dhcp)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/14 14:47
S35 1	11	(restricted near2 address\$2) same (dhcp)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/14 14:48